



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 40

Administration

CASE NO. 6 24

TYPE OF ACCIDENT CAR/PEDESTRI

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include</u> any personal identifiers.) VEHICLE #1 WAS TRAVELING NORTH WHEN SUBERLY A CHILD PEGESTRIAN RAN OUT INTO THE STREET. VEHICLE TOOK EVASIVE ACTION BY BRAKING WITH OUT LOCK UP AND TURNING TO THE RIGHT, THEN STRUCK ALLESTRIAN WITH THE LEFT FRONT BUMPER ILNOCKING FEDESTRIAN TO THE GROUND TO THE LEFT FRONT OF VEHICLE.

B. PEDESTRIAN PROFILE							
Pedestrian		0	Treatment/ Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)				Injury ZONE CENTER)
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	4	/	MINOR	leg (thigh)	Contusion		Bumper

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head	Whole Area	(1) Minor injury
Face	Vessels	(2) Moderate injury
Throat	Nerves	(3) Serious injury
Chest	Organs	(4) Severe injury
Abdomen/Pelvis	Skeletal	(5) Critical injury
Spine	Head-LOC	(6) Maximum (untreatable)
Upper Extremity	Skin-Burn	(7) Injured, unknown severit
Lower Extremity External	Skin-Other	, , , , , , , , , , , , , , , , , , ,

	C. VEHICLE PROFILE						
Class			Most Severe Damage Based on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	/NTERME LIATE	93 FORD TAURUS GL	FRONT	MINOR			

DO NOT SANITIZE THIS FORM



U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM PSU No. 40 Indicate Case Number—Stratum 6 North 2. HS Form 431B (1/95)

Scale: 1 centimeter = /(250) meters




U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Administration				·	CRASI		S DATA SYSTE
PSU No. 4 0	Case Number	er—Stratum	<u>63</u>	NP		Indicate North	(Λ)
	(
		•					
				1			
					,		
102				10	1 4		
2.							
		9,3	3				
		11=	The state of the s				
		7		Manager and the state of the st			
				Ca			
				19	3		
				200 200 200 000 000			
RO				and the state of t			
180							
	\$						
R	レ						

HS Form 431B (1/95)



Scale: 1 centimeter = ____ meters



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 40 Case Number-Stratum 6 4 P						
PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM						
document reference point and reference line relative to physical features			* north arro	w placed on diagram		
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	<u></u>	* grade mea roadways	asurements for all applicable		
a) vehicle skid marks	Coefficient of Fr		* scaled rep including:	resentations of the physical plant		
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement	crossv markir	d/roadway delineation (e.g., walks, curb/edge lines, lane ngs, medians, pavement markings, d vehicles, poles, signs, etc.)		
c) vehicle/pedestrian point of impact (POI)	a) at impa		b) all traf	fic controls (e.g., lights, signs)		
d) location of pedestrian separation point from vehicle	b) betwee final re	n impact and st	pedestrian	resentations of the vehicle and at pre-impact, impact, and final upon either:		
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	al Direction	a) physic	al evidence, or		
documentation of the physical plant including:	Vehicle Travel D	irection	b) recons	structed accident dynamics		
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	l Lanes				
b) all traffic controls (e.g., lights, signs)						
Reference Point: UTILITY Pale Reference Line: WEST CURBLINE						
Ma		Distance and Direction		istance and Direction		
Item		from Reference Point		from Reference Line		
R.P.		0,0		0,4W		
DRIVE / Soig Wide	(2,9)	0,8 N		0.0		
2 So, Edge "	(2.9)	9,9 N		0,0		
3 So. Edge	(2.7)	3,8N		9,3 E		
4	(3,5)	13.0N		9,3 E		
			-	'		

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
·		

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1 Primary Sampling Unit Number (40)	
1. Primary Sampling Unit Number	
2. Case Number - Stratum 6 24 P	Chec
IDENTIFICATION	studie
3. Number of General Vehicle	6
Forms Submitted <u>0 1</u>	7 .
4. Date of Accident	``
(Month,Day,Year) 97	8
5. Time of Accident	9
Code reported military time of accident.	
NOTE: Midnight = 2400	10

Unknown = 9999

SPECIAL STUDIES - INDICATORS

:k (✓) each special study (SS15-SS19 below) that been completed; code 1 for the checked special es and 0 for the special studies not checked.

- __SS15 Administrative Use 0
- SS16 Pedestrian Crash Data Study
- _SS17 Impact Fires 0
- SS18 _____ 0
- SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0_1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS						
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>0 1</u>	14. 03	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration	O.M.B. No. 2127-0021 NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
 Primary Sampling Unit Number Case Number - Stratum 	
3. Pedestrian Number0_1	
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown 5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
(3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown	(02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder OS 3 Code to the nearest centimeter. (999) Unknown 3 3 inches X 2.54 = OS 3 centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify):	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify):
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown
(5) Down (8) Other (specify):	20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source:	Nonfatal (3) Hospitalization
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP CANNABLES SUTTINGEGRIST AN	SE GOINDRE LEDNEY, BLEEZOVE CHARES
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death OOO 35. 2nd Medically Reported Cause of Death OOO 36. 3rd Medically Reported Cause of Death OOO 37. Number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for OOO OOO No recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO[] UPDATE CANDIDATE?	YES[] No treatment

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM Administration

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

<u>X X</u>

DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


ł				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 7	6.8	7. <u>9</u>	8. <u>04</u>	9. <u>0 2</u>	10. <u> </u>	11.2	12. <u>700</u>	13. <u>/</u>	14	15.2	16.2	17.04
2nd	18	19	20	21	22	23	24	25	26	27	28	29	30
3rd	31	32	33	34	35	36	37	38	39	40	41	42	43
4th	44	45	46	47	48	49	50	51	52,	53	54	55	56
5th	57	58	59	60	61,	62	63	64	65	66	67	68	69
6th	70	71	72	73	74	75	76	77	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	101,	102	103.	104	105	106	107	108
9th	109	110	111	112	113,	114	115	116	117	118	119	120	121
10th	122	123	124,	1251	126	127	128	129	130	131	132	133	134

•					PEDE	STRIA	N INJU	RY DAT	ΓΑ				
Sour of Inj Dat	ury	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	-	_	_						_	_			
12th	•	_	_						_	_			_
13th		_	_			—	_			_			
14th		_			——	_			_		_	_	
16th												_	
17th		_	_			_	_						_
18th		_	_						_	_		_	_
19th									_	_	_	_	_
20th			_						_		_	_	_
21st 22nd									_		_	_	_
23rd		_				_			_				_
24th							_		_	_			
25th		_				—	_			_	_	_	

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE **OFFICIAL** (1) Certain (2) Probable (0) Injury not from vehicle contact (1) Autopsy records with or without hospital/ No damage/contact Possible medical records Scratch (Scuff, Cloth Transfer, Smear) (2) Hospital/medical records other than (3) Dent (4) Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle Emergency room records only (including Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) (8) Other specify: (4) Private physician, walk-in or emergency Injured, unknown source Unknown STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) DAMAGE DEPTH UNOFFICIAL Injury not from vehicle contact (5) Lay coroner report No residual damage (6) E.M.S. personnel Rounded (contoured) Surface only damage (7) Interviewee (4) Rounded edge (3) Crush depth >0 to 2 centimeters (8) Other source (specify): Sharp edge Crush depth > 2 to 5 centimeters (8) Other (specify): (5) Crush depth >5 to 10 centimeters (9) Police Other specify: (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury (2) Face (06) Lumbar Moderate injury Serious injury (2) (3) Neck (3) Thorax (06) Skin - Laceration (08) Skin - Avulsion <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02 Severe injury (5)Abdomen Critical injury (5) (6) Spine Amputation (6) Maximum (untreatable) Injured, unknown severity Upper Extremity (20) Burn (8) Lower Extremity (30) Crush Level of Injury (9) Unspecified (40) Degloving **Aspect** Injury - NFS (50) Specific injuries are assigned Type of Anatomic Structure beginning with 02. (90) Trauma, other than mechanical Right (2) Left Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (3) Bilateral Vessels To the extent possible, within the organizational framework of the AIS, 00 Central (3) Nerves (5) (6) (4) Anterior Organs (includes muscles/ is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Posterior ligaments) (7) Superior Skeletal (includes joints) Inferior (8) (6) Head - LOC structure. 99 is assigned to any injury NFS as to lesion or severity. (9) Unknown Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify): 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna ∠781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

_ Yes unavailable.)

Blood Alcohol Level (mg/dl)

BAL = ____

Glasgow Coma Scale Score

GCSS = ____

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = _.__

PO₂= ___

PCO₂


HCO₃






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 40	OFFICIAL RECORDS
2. Case Number - Stratum 6 P	9. Police Reported Travel Speed 999
3. Vehicle Number0_1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph)
VEHICLE IDENTIFICATION	(160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit
5. Vehicle Make (specify): CORC Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	in kmph (999) Unknown ★ 30 mph x 1.6093 ★ kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present
6. Vehicle Model (specify): 740RUS GL Applicable codes are found in your NASS PCDS Data Collection, Coding and	(1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source:
Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
-	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (s 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)</p>
- (62) Single unit straight truck (8,850 kgs < GVWR s 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight	18. Impact Speed +
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES IS THROUGH 20 ARE GOINDUSTED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23.	Critical Precrash Event This Vehicle Loss of Control Due To:	(83) Pedalcyclist or other nonmotorist in roadway
	(01) Blow out or flat tire	(specify):
	(02) Stalled engine	(84) Pedalcyclist or other nonmotorist approaching roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
	(specify):	location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
	up) (specify):	(87) Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
	(specify):	(89) Animal—unknown location
	(06) Traveling too fast for conditions	(90) Object in roadway
	(08) Other cause of control loss (specify):	(91) Object approaching roadway
		(92) Object—unknown location
	(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
	This Vehicle Traveling	the state of the topology,
	(10) Over the lane line on left side of travel lane	(99) Unknown
	(11) Over the lane line on right side of travel lane	
	(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver 0 9
	(13) Off the edge of the road on the right side	(00) No driver present
	(14) End departure	(01) No avoidance actions
	(15) Turning left at intersection	(02) Braking (no lockup)
	(16) Turning right at intersection	(03) Braking (lockup)
	(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
	(19) Unknown travel direction	(05) Releasing brakes
	Other Motor Vehicle In Lane (50) Stopped	(06) Steering left
	(51) Traveling in same direction with lower speed	(07) Steering right
	(i.e., lower steady speed or decelerating)	(08) Braking and steering left
	(52) Traveling in same direction with higher speed	(09) Braking and steering right
	(53) Traveling in opposite direction	(10) Accelerating
	(54) In crossover	(11) Accelerating and steering left
	(55) Backing	(12) Accelerating and steering right
	(59) Unknown travel direction of other motor vehicle	(98) Other action (specify):(99) Unknown
	in lane	(99) OHKHOWH
	Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction) - over left	(O) No driver present
	lane line	(1) No avoidance maneuver
	(61) From adjacent lane (same direction) - over right	(2) Tracking
	lane line	(3) Skidding longitudinally—rotation less than 30
	(62) From opposite direction—over left lane line	degrees (4) Skidding laterally—clockwise rotation
	(63) From opposite direction—over right lane line	The state of the s
	(64) From parking lane	(5) Skidding laterally—counterclockwise rotation(8) Other vehicle loss-of-control (specify):
	(65) From crossing street, turning into same direction	(a) Canor Vernicle loss-of-control (specify):
	(66) From crossing street, across path	(9) Precrash stability unknown
	(67) From crossing street, turning into opposite direction	•
	(68) From crossing street, intended path not known	26. Precrash Directional Consequences of
	(70) From driveway, turning into same direction	Avoidance Maneuver (Corrective Action)
	(71) From driveway, across path	(0) No driver present
	(72) From driveway, turning into opposite direction	(1) No avoidance maneuver (2) Vehicle staved in travel lane where avoidance
	(73) From driveway, intended path not known	(2) Vehicle stayed in travel lane where avoidance maneuver was initiated
	(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
	(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
	unknown	(4) Vehicle stayed on roadway, not known if left
	Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
	(80) Pedestrian in roadway	initiated
	(81) Pedestrian approaching roadway	(5) Vehicle departed roadway (6) Avoidance maneuver initiated off roadway
	(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway (9) Directional consequences unknown
		I I I I I I I I I I I I I I I I I I I

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	 (6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 		34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	<u>2</u>	(7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown Roadway Profile (1) Level		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown
32.	(2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown Roadway Surface Type	2	37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog
	(1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown		(6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

U.S. Department of Transportation National Highway Traffic Safety
Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

- 1. Primary Sampling Unit Number
- 2. Case Number Stratum
- 3. Vehicle Number

VEHICLE IDENTIFICATION

LEACP5248PGI

Model Year 93

Vehicle Make (specify): _ FORd

Vehicle Model (specify): TAURUS 3L4 DR

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

cm

cm

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm

cm


cm

cm

cm

cm

VEHICLE DAMAGE SKETCH




NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 157 cm

PEV08 Hood Material	PEDESTRIAN SIDE CONTACT W	ORK SHEET
PEV19 Hood Width-Forward Opening	PEV06 Hood Material	
PEV09 Hood Width-Forward Opening	PEV08 Hood Length	cm
PEV10 Hood Width-Midway cm VERTICAL MEASUREMENTS PEV26 Ground Clearance PEV27 Side Bumper-Bottom Height cm PEV28 Side Bumper-Top Height cm PEV30 Centerline of Wheel cm PEV31 Top of Tire cm PEV31 Top of Wheel Well Opening cm PEV32 Bottom of A-Pillar at Windshield cm PEV33 Top of A-Pillar at Windshield cm PEV34 Top of Side View Mirror cm LATERAL MEASUREMENTS PEV35 C _L to A-Pillar at Bottom of Windshield cm PEV36 C _L to A-Pillar at Top of Windshield cm WRAP DISTANCES PEV38 Ground to Side/Top Transition cm PEV40 Ground to Head Contact	PEV09 Hood Width-Forward Opening	
VERTICAL MEASUREMENTS PEV26 Ground Clearance	PEV10 Hood Width-Midway	
PEV26 Ground Clearance cm PEV27 Side Bumper-Bottom Height cm PEV28 Side Bumper-Top Height cm PEV39 Centerline of Wheel cm PEV30 Top of Tire cm PEV31 Top of Wheel Well Opening cm PEV32 Bottom of A-Pillar at Windshield cm PEV33 Top of A-Pillar at Windshield cm PEV34 Top of Side View Mirror cm LATERAL MEASUREMENTS PEV35 C _L to A-Pillar at Bottom of Windshield cm PEV36 C _L to A-Pillar at Top of Windshield cm PEV37 C _L to Maximum Side View Mirror Protrusion cm WRAP DISTANCES PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm PEV41 Ground to Head Contact cm	PEV11 Hood Width-Rear Opening	cm
PEV26 Ground Clearance cm PEV27 Side Bumper-Bottom Height cm PEV28 Side Bumper-Top Height cm PEV39 Centerline of Wheel cm PEV30 Top of Tire cm PEV31 Top of Wheel Well Opening cm PEV32 Bottom of A-Pillar at Windshield cm PEV33 Top of A-Pillar at Windshield cm PEV34 Top of Side View Mirror cm LATERAL MEASUREMENTS PEV35 C _L to A-Pillar at Bottom of Windshield cm PEV36 C _L to A-Pillar at Top of Windshield cm PEV37 C _L to Maximum Side View Mirror Protrusion cm WRAP DISTANCES PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm PEV41 Ground to Head Contact cm	. VERTICAL MEASUREMEN	ITS
PEV27 Side Bumper-Bottom Height PEV28 Side Bumper-Top Height PEV29 Centerline of Wheel PEV30 Top of Tire PEV31 Top of Wheel Well Opening PEV32 Bottom of A-Pillar at Windshield PEV33 Top of A-Pillar at Windshield PEV34 Top of Side View Mirror LATERAL MEASUREMENTS PEV35 C _L to A-Pillar at Bottom of Windshield PEV36 C _L to A-Pillar at Top of Windshield PEV37 C _L to Maximum Side View Mirror Protrusion WRAP DISTANCES PEV38 Ground to Side/Top Transition PEV39 Ground to Hood Edge PEV40 Ground to Centerline of Hood (ORIGIN) PEV41 Ground to Head Contact		
PEV28 Side Bumper-Top Height cm PEV29 Centerline of Wheel cm PEV30 Top of Tire cm PEV31 Top of Wheel Well Opening cm PEV32 Bottom of A-Pillar at Windshield cm PEV33 Top of A-Pillar at Windshield cm PEV34 Top of Side View Mirror cm LATERAL MEASUREMENTS PEV35 C _L to A-Pillar at Bottom of Windshield cm PEV36 C _L to A-Pillar at Top of Windshield cm PEV37 C _L to Maximum Side View Mirror Protrusion cm WRAP DISTANCES PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm	PEV27 Side Bumper-Bottom Height	
PEV29 Centerline of Wheel PEV30 Top of Tire PEV31 Top of Wheel Well Opening PEV32 Bottom of A-Pillar at Windshield PEV33 Top of A-Pillar at Windshield PEV34 Top of Side View Mirror LATERAL MEASUREMENTS PEV35 C _L to A-Pillar at Bottom of Windshield PEV36 C _L to A-Pillar at Top of Windshield PEV37 C _L to Maximum Side View Mirror Protrusion WRAP DISTANCES PEV38 Ground to Side/Top Transition PEV39 Ground to Hood Edge PEV40 Ground to Centerline of Hood (ORIGIN) PEV41 Ground to Head Contact		
PEV30 Top of Tire cm PEV31 Top of Wheel Well Opening cm PEV32 Bottom of A-Pillar at Windshield cm PEV33 Top of A-Pillar at Windshield cm PEV34 Top of Side View Mirror cm LATERAL MEASUREMENTS PEV35 C _L to A-Pillar at Bottom of Windshield cm PEV36 C _L to A-Pillar at Top of Windshield cm PEV37 C _L to Maximum Side View Mirror Protrusion cm WRAP DISTANCES PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm	PEV29 Centerline of Wheel	
PEV31 Top of Wheel Well Opening cm PEV32 Bottom of A-Pillar at Windshield cm PEV33 Top of A-Pillar at Windshield cm PEV34 Top of Side View Mirror cm LATERAL MEASUREMENTS PEV35 C _L to A-Pillar at Bottom of Windshield cm PEV36 C _L to A-Pillar at Top of Windshield cm PEV37 C _L to Maximum Side View Mirror Protrusion cm WRAP DISTANCES PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm	PEV30 Top of Tire	
PEV32 Bottom of A-Pillar at Windshield cm PEV33 Top of A-Pillar at Windshield cm PEV34 Top of Side View Mirror cm LATERAL MEASUREMENTS PEV35 C _L to A-Pillar at Bottom of Windshield cm PEV36 C _L to A-Pillar at Top of Windshield cm PEV37 C _L to Maximum Side View Mirror Protrusion cm WRAP DISTANCES PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) PEV41 Ground to Head Contact	PEV31 Top of Wheel Well Opening	
PEV33 Top of A-Pillar at Windshield cm PEV34 Top of Side View Mirror cm LATERAL MEASUREMENTS PEV35 C _L to A-Pillar at Bottom of Windshield cm PEV36 C _L to A-Pillar at Top of Windshield cm PEV37 C _L to Maximum Side View Mirror Protrusion cm WRAP DISTANCES PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge PEV40 Ground to Centerline of Hood (ORIGIN) PEV41 Ground to Head Contact		
LATERAL MEASUREMENTS LATERAL MEASUREMENTS PEV35 C _L to A-Pillar at Bottom of Windshield cm PEV36 C _L to A-Pillar at Top of Windshield cm PEV37 C _L to Maximum Side View Mirror Protrusion cm WRAP DISTANCES PEV38 Ground to Side/Top Transition cm PEV39 Ground to Head Contact	PEV33 Top of A-Pillar at Windshield	
LATERAL MEASUREMENTS PEV35 C _L to A-Pillar at Bottom of Windshield cm PEV36 C _L to A-Pillar at Top of Windshield cm PEV37 C _L to Maximum Side View Mirror Protrusion cm WRAP DISTANCES PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm	PEV34 Top of Side View Mirror	
PEV35 C _L to A-Pillar at Bottom of Windshield cm PEV36 C _L to A-Pillar at Top of Windshield cm PEV37 C _L to Maximum Side View Mirror Protrusion cm WRAP DISTANCES PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN)		
PEV36 C _L to A-Pillar at Top of Windshield cm PEV37 C _L to Maximum Side View Mirror Protrusion cm WRAP DISTANCES PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm	LATERAL MEASUREMENT	s
PEV36 C _L to A-Pillar at Top of Windshield cm PEV37 C _L to Maximum Side View Mirror Protrusion cm WRAP DISTANCES PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm	PEV35 C. to A-Pillar at Rottom of Windshield	
PEV37 C _L to Maximum Side View Mirror Protrusion WRAP DISTANCES PEV38 Ground to Side/Top Transition PEV39 Ground to Hood Edge PEV40 Ground to Centerline of Hood (ORIGIN) PEV41 Ground to Head Contact		cm
WRAP DISTANCES PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm PEV41 Ground to Head Contact	•	cm
PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm PEV41 Ground to Head Contact	12707 Of to Maximum Side View Militor Protrusion	cm
PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm PEV41 Ground to Head Contact	WRAP DISTANCES	
PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm PEV41 Ground to Head Contact	PEV38 Ground to Side/Top Transition	cm
PEV40 Ground to Centerline of Hood (ORIGIN) —		
PEV41 Ground to Head Contact		
^~		

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ____ cm

/ 05.9 inches x 2.54 = 269 cm Wheelbase //92./ inches x 2.54 = //88 cm Overall Length Maximum Width $_{-}$ $_{-}$ $_{-}$ $_{-}$ $_{-}$ $_{-}$ $_{-}$ $_{-}$ $_{-}$ inches x 2.54 = 3.746 pounds x .4536 = 7.430 kg Curb Weight b / . D inches x 2.54 = Average Track /55 cm 40.2 inches x 2.54 = Front Overhang ________ cm _ 46.1 \perp \perp \perp \perp \perp cm Rear Overhang inches x = 2.54 =Undeformed End Width ___ inches x 2.54 = __ cm Engine Size: cyl./displ. ___ __ 3.8 L $\times .001 =$ CID x .0164 =INJURY SOURCE FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 745 C pillar 701 Front lower valance/spoiler 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 798 Other wheel / tire (specify): 749 Right side roof rail 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar (specify): 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface 806 Catalytic converter (specify): 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):___ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 997 Noncontact injury source 788 Other top component (specify): _ 743 A2 pillar 789 Unknown top component 999 Unknown injury source

ORIGINAL SPECIFICATIONS

								Page 5
					RIAN CONTA			
			PEDEST	RIAN CONTA	CT WORKSHI	EET		
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL Location (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE
YA	BUMPER	73	39		LEG	SMUSGE + CLOTH TRANSFER	1 2 3 9	1
110000 00000000000000000000000000000000	BUMPER	65	45		LEG	GOUGE	1 2 3 (9)	lu.
WH	Bunper	77	53		LEG	SCRATCHES	1 2 3 9	2
YB	FENLER	76	91			Seratems	1 2 3 🗐	4
WG	Hood	50	87		70RSO	SCRATCHES	1 2 3 9	5
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
			-				1 2 3 9	
							1 2 3 9	
						*	1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

			POINTS	OF PEDEST	RIAN CONTACT		
					ER OF CONTACTS		
CONTACT #	COMPONENT CONTACTED · CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
1	700	73	39		LEG	SMULGE + CLOTH TRANSFER	1 2 3 9
2	700	77	5		LEG	SCRATCHES	1 2 🕖 9
3	700	65	45		LEG	GOUGIE	1 2 3 9
4	120	76	9/		TORSO	SCRATCHES	1 2 3 🕥
5	770	50	87		TORSO	SCRATCHES SCRATCHES	1 2 3 9
6							1 2 3 9
7							1 2 3 9
E							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 g
15							1 2 3 9
16							1 2 3 9
17				·			1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	
4. Original Wheelbase Code to the nearest centimeter (999) Unknown	Hood Width Rear Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown
+05.9 inches X 2.54 = 269 centimeters	58 3 inches X 2.54 = 48 centimeters
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown Oinches X 2.54 = 155 centimeters MVMA 6. Hood Material	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact (9) Unknown
 (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown 	13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	 (4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE
Hood Length	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown C 5 . 9 inches X 2.54 = centimeters 10. Hood Width Midway	15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 57 8 inches X 2.54 =) 47 centimeters	16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown 17. Front Bumper-Top Height O 4 9 Front Bumper-Top Height O 5 9 Front Bumper-Top Height O 6 9 Front Bumper-Top Height O 7 9 Front Bumper-Top Height O 7 9 Front Bumper-Top Height O 8 9 Front Bumper-Top Height O 9 9 Front Bumper-Top Height Front Bumper-Top Height O 9 9 Front Bumper-Top Height Front Bu	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown The inches X 2.54 = 194 centimeters
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown D25. Dinches X 2.54 = D64 centimeters 19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown Definition in the series of the series of the series centimeter (000) No front contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact
(99) Unknown • • • • • • • • • • • • • • • • • • •	(999) Unknowninches X 2.54 = centimeters
_	
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE Side Vertical Measurements
Front Wrap Distance Measurements 20. Ground to Forward Hood Opening	
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Side Vertical Measurements 26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown Code to the Code to the nearest centimeter (000) No front Contact (180) 180 centimeters or more (999) Unknown	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29. Centerline of Wheel	Side Lateral Measurements
Code to the	7
nearest centimeter (000) No side contact	35. Centerline to A-Pillar
(150) 150 centimeters or more	at Bottom of Windshield
(999) Unknown	(000) No side contact
	Code to the
inches X 2.54 = centimeters	nearest centimeter (250) 250 centimeters or more
	(999) Unknown
30. Top of Tire	
Code to the	inches X 2.54 = centimeters
nearest centimeter (000) No side contact	
(200) 200 centimeters or more	36. Centerline to A-Pillar
(999) Unknown	at Top of Windshield
	Code to the
inches X 2.54 = centimeters	nearest centimeter (000) No side contact
	(250) 250 centimeters or more
31. Top of Wheel Well Opening	(999) Unknown
Code to the	
nearest centimeter (000) No side contact	inches X 2.54 = centimeter
(250) 250 centimeters or more	
(999) Unknown	37. Centerline to Maximum Side
	View Mirror Protrusion
inches X 2.54 = centimeters	Code to the nearest centimeter
32. Bottom of A-Pillar at Windshield	1000
Code to the	(300) 300 centimeters or more
nearest centimeter (000) No side contact	(999) Unknown
(250) 250 centimeters or more	inches X 2.54 = centimeter
(999) Unknown	certaineter
	Side Wrap Distance Measurements
inches X 2.54 = centimeters	was a south proteine Medathellights
	28 Crowder Side 77 - 11
33. Top of A-Pillar at Windshield	38. Ground to Side/Top Transition Code to the
Code to the nearest centimeter	nearest centimeter
(000) No side contact	(000) No side contact
(300) 300 centimeters or more	(400) 400 centimeters or more (999) Unknown
(999) Unknown	(999) Oliknown
inches X 2.54 =centimeters	inches X 2.54 = centimeters
34. Top of Side View Mirror	39. Ground to Hood Edge
34. Top of Side View Mirror Code to the	Code to the
nearest centimeter	nearest centimeter
(000) No side contact	(000) No side contact (500) 500 centimeters or more
(300) 300 centimeters or more (999) Unknown	(999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters

				· · · · · · · · · · · · · · · · · · ·	 	rage 10
40.	(000) (700)	to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknown	0_00	·		
41.	Ground (000) 1 (800) 3 (998) 1	to Head Contact Code to the nearest centimeter No side contact 800 centimeters or more No head contact Unknown	centimeters			
		inches X 2.54 =	centimotore			
		· monos x 2.54	centimeters			
			· -			
					٠	
		•				

1

PSU40 CASE 624P

1997 PEDESTRIAN ACCIDENT FORM

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year) 5. Time of Accident (military time)

1740

SPECIAL STUDIES - INDICATORS

6. SS15 0 7. SS16 1 8. SS17 0 9. SS18 0 10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01

PSU40 CASE 624P

1997 PEDESTRIAN ACCIDENT FORM

PEDESTRIAN ACCIDENT EVENTS

Accident Seauence	Vehicle	Class of	General Area of	Veh. Num. or	Class of	General Area of
Number	Number	Vehicle	Damage	Obj. Cont.	Vehicle	Damage
4	4.65	4 4	4 tim two	4 /**		
12. 01	13. 01	14. 03	15. F	16. 72	17. 00	18. 0

PEDESTRIAN'S CHARACTERISTICS 4. Pedestrian's Age 045. Pedestrian's Sex 1 6. Pedestrian's Overall Height 091 7. Pedestrian's Height - Ground to Knee 28 8. Pedestrian's Height - Ground to Hip 060 9. Pedestrian's Height - Ground to Shoulder 083 10. Pedestrian's Weight 023 PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian's Attitude 1 12. Pedestrian's Motion 13. Pedestrian's Actions Relative to Vehicle 01 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions 3

PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions	೦೦
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact 17. Pedestrian's Body (Chest) Orientation at Initial Impact 18. Pedestrian's Arm Orientation at Initial Impact 19. Pedestrian's Leg Orientation at Initial Impact 20. Vehicle/Pedestrian's Interaction	1 3 01 01 06
OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian 24. Other Drug Specimen Test Result For Pedestrian	0 96 0

INJURY CONSEQUENCES 25. Injury Severity (Police Rating) 26. Treatment - Mortality 27. Type of Medical Facility (for Initial Treatment) 28. Hospital Stay 29. Working Days Lost	1 0 0 00 97
(COMPLETED BY THE ZONE CENTER)	
30. Glasgow Coma Scale Score	01
31. Was the Pedestrian Given Blood?	1
32. Arterial Blood Gases	01
33. Time to Death	00
34. 1st Medically Reported Cause of Death	00
35. 2nd Medically Reported Cause of Death	00
36. 3rd Medically Reported Cause of Death	00
37. Number of Recorded Injuries for This Pedestrian	01

PSU40 CASE 624P 1997 PEDESTRIAN INJURY FORM

VEHICLE 01 PEDESTRIAN 01

PEDESTRIAN INJURY DATA

	Source of		Type of	Spec.	Lev.		•		Inj. Source	Dir./		Type	
		-	Anat. Struc.				Asp.		Conf. Level				
		**** **** ****	***************************************										
01.	7	8	9	04	02	1	2	700	1	1	2	2	2

VEHICLE WEIGHT ITEMS

1997 PEDESTRIAN GENERAL VEHICLE FORM

VEHICLE IDENTIFICATION							
4. Vehicle Model Year	93						
5. Vehicle Make	12						
6. Vehicle Model	017						
7. Body Type	04						
8. Vehicle Identification Number	1FACP5248PG						
OFFICIAL RECORDS	OFFICIAL RECORDS						
9. Police Reported Travel Speed	999						
10. Speed Limit	048						
11. Police Reported Alcohol Presence For Driver	0						
12. Alcohol Test Result For Driver	96						
13. Police Reported Other Drug Presence	0						
14. Other Drug Specimen Test Result for Driver	0						

15. Vehicle Curb Weight 16. Vehicle Cargo Weight	1,430 9,990
OTHER DATA	
17. Vehicle Special Use (This Trip)	0
RECONSTRUCTION DATA (COMPLETED BY THE ZONE CE 18. Impact Speed	NTER) +999
19. Accuracy Range of Impact Speed Estimate	9
20. Data Source of Impact Speed	\circ
PRECRASH DATA	
21. Driver's Attention to Driving	1
22. Pre-Event Vehicle Movement	01

PRECRASH DATA (continued) 23. Critical Precrash Event 80 24. Attempted Avoidance Maneuver 09 25. Precrash Stability After Avoidance Maneuver 2 26. Precrash Directional Consequences of Avoidance Manuver (Corrective Action) 2

ENV.	IRUNMENTAL DATA	
27.	Relation to Junction	0
28.	Trafficway Flow	1.
29.	Number of Travel Lanes	2
30.	Roadway Alignment	1
31.	Roadway Profile	1
32.	Roadway Surface Type	
33.	Roadway Surface Condition	1
34.	Traffic Control Device	0
35.	Traffic Control Device Functioning	0
36.	Light Conditions	1
37.	Atmospheric Conditions	1
O. f.		

1997 PEDESTRIAN EXTERIOR VEHICLE FORM

PSU40 CASE 624P VEHICLE 01

VEHICLE DIMENSIONS

ф.,	Original Wheelbase	269
5.	Original Average Track Width	155
S.	Hood Material	3
7.	Hood Original Equip. Manufacturer	1
8.	Hood Length	117
9.	Hood Width Forward Opening	142
10.	Hood Width Midway	147
11.	Hood Width Rear Opening	148
12.	Hood/Fender Vertical/Lateral	
	Crush From Pedestrian	0
13,	Windshield Contact Damage From	
	Pedestrian Contact	0

FRONT CONTACT DAMAGE

tone but how F I also	t then be refer to the terms of	1.45 0.00	the tear of the Filler Land Co.
FRONT	VERTICA	[7] [(-) ()	JREMENTS:

14. Front Bumper Cover Material 16. Front Bumper-Bottom Height 18. Forward Hood Opening	034	17.	Front Bumper Reinforcement Mat. Front Bumper-Top Height Front Bumper Lead	1 049 10
FRONT WRAP DISTANCE MEASUREMENTS				
20. Ground to Fwd. Hood Opening	071	21.	Ground to Front/Top Transition Pt	080
22. Ground to Rear Hood Opening	188	23.	Ground to Base of Windshield	194
24. Ground to Ton of Windshield	279	25.	Ground to Head Contact	998

SIDE CONTACT DAMAGE

SIDE VERTICAL MEASUREMENTS

26.	Ground Clearance	000
27.	Side Bumper-Bottom Height	000
28.	Side Bumper-Top Height	000
29.	Centerline of Wheel	000
30.	Top of Tire	000
31.	Top of Wheel Well Opening	000
32.	Bottom of A-Pillar at Windshield	000
33.	Top of A-Pillar at Windshield	000
G.d.	Ton of Side View Mirror	000

SIDE CONTACT DAMAGE (continued)

\subseteq	TDF	IΔ	TER	ΔI	ME	ASI	IRF	MENTS	ì
	1.17	i 1-1	1 [7]	L	111	H50	J ! T. [[TIELIN I I	

35.	Centerline	to	A-Pillar at Bottom of Windshield	000
36.	Centerline	to	A-Pillar at Top of Windshield	000
37.	Centerline	t: c	Maximum Side View Mirror Protrusion	000

SIDE WRAP DISTANCE MEASUREMENTS

38.	Ground	to	Side/Top Transition	000
39.	Ground	to	Hood Edge	000
40.	Ground	to	Centerline of Hood (Origin)	000
41.	Ground	to	Head Contact	000

40624P00000011 3710.0000000000117400100001 00000000000000 01

9710139700000000

40624P00010012**4113**9710.010000000000103F72000

10.0 0000000000410912806008302313013001301010609600100009701 40624P00010021 10100000000001

40624P00010131

10.0 00000000078904021270011222

40624P01000041

10.0 000000009312017041FACP5248PG

99010180092201211210011

10.0 0000000002691553111714214714800110340490641007108018819 40624F01000051

00000000000000

PSU40 CASE 624P

CURRENT VERSION: 10.0

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	Ö	Ö	Ō	Ý
Pedestrian Injury	Ô	Ö	Ō	Y
Pedestrian General Vehic	le O	0	0	. Y
Pedestrian Exterior Vehi:	ele O	O	٥	Υ
Total Inter Errors		0	0	
Total Case Errors	O	٥	0	